	Application No.	Applicant(a)
	Application No.	Applicant(s)
Notice of Allowability	09/506,418	SENOO ET AL.
	Examiner	Art Unit
	Stephen M. Brinich	2625
The MAILING DATE of this communication appears All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject t	plication. If not included n will be mailed in due course. THIS
1. This communication is responsive to <u>BPAI Decision 8/28/0</u>	<u>06</u> .	
2. The allowed claim(s) is/are 1-12 and 14-18.		
3. Acknowledgment is made of a claim for foreign priority unexpense a) All b) Some* c) None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date	•	
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal F	Patent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	• •
	Paper No./Mail Da	te .
Information Disclosure Statements (PTO/SB/08),     Paper No./Mail Date	7. Examiner's Amendr	
<ol> <li>Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ol>		ent of Reasons for Allowance
	9. 🗌 Other	

Application/Control Number: 09/506,418 Page 2

Art Unit: 2625

## DETAILED ACTION

## Allowable Subject Matter

1. Applicant's arguments in the Appeal Brief filed 5/25/05 and the Reply Brief filed 10/3/05 with respect to claims 1-12 & 14-18 have been fully considered and are persuasive. The rejection of claims 1-12 & 14-18 has been withdrawn.

## Conclusion

2. Any inquiry concerning the contents of this communication or earlier communications from the examiner should be directed to Stephen M. Brinich at 571-272-7430.

Any inquiry relating to the status of this application or proceeding or any inquiry of a general nature concerning application processing should be directed to the Tech Center 2600 Customer Service center at 571-272-2600 or to the USPTO Contact Center at 800-786-9199 or 571-272-1000.

The examiner can normally be reached on weekdays 8:00-5:30, alternate Fridays off.

The examiner's unit designation has been changed from "Art Unit 2624" to "Technology Division 2625" (as of March 20, 2006).

If attempts to contact the examiner and the Customer Service Center are unsuccessful, supervisor David Moore can be contacted at 571-272-7437.

Application/Control Number: 09/506,418

Art Unit: 2625

Faxes pertaining to this application should be directed to the Tech Center 2600 official fax number, which is 571-273-8300 (as of July 15, 2005).

Hand-carried correspondence may be delivered to the Customer Service Window, located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314.

Stephen M Brinich Examiner Technology Division 2625

Page 3

smb Smb October 2, 2006

TUOMAS D.
TOTAL LEE
DRIMARY EXAMINER